

Superclamps

Micro cable hanging system



Ormiston Wire Limited

Ormiston Wire Ltd, 1 Fleming Way, Worton Road, Isleworth, Middlesex, TW7 6EU

Tel 020 8569 7287 Fax 020 8569 8601

E-mail info@ormiston-wire.co.uk Web www.ormiston-wire.co.uk

Superclamps

Instantly adjustable micro cable fittings

Superclamps are an instantly adjustable high quality micro cable fitting system. By simply pressing the button on each clamp it can be moved up or down to a new position where it becomes instantly locked. No tools needed.

These fittings take cable between 1.20mm and 2.0mm 7 x 7 construction stainless steel. Strength depends on the fittings used but are capable of supporting not less than 30kgs. They are ideal for shelving, track lighting systems, pictures or product display, in fact, anything that needs attractive instant cable adjustment.

The cable is cut and threaded onto the

Superclamp which is moved to the desired position. Fine adjustment could not be easier.

With the wide variety of ceiling fittings and clamp attachments, every possible situation can be covered. We also stock a wide range of micro cables and wire ropes in stainless steel suitable for all makes of cable systems. Ask for our separate price lists.

Superclamps can be used anywhere adjusted fitting is required. No tools are needed, just finger pressure adjusts.

(Minimum order charge £30.00 plus carriage and VAT)

888-0001 Barrel Clamp

Wire size	1.5mm
Strength	50kg
Thread size	M8
Finish	Chrome



888-0002 Plate clamp male

Wire size	1.5mm
Strength	55kg
Thread size	M8
Finish	Black



888-0003 Plate clamp female

Wire size	1.5mm
Strength	55kg
Thread size	M10 internal
Finish	Black



Superclamps

**888-0005
Insert clamp**

Wire size 1.5mm
Strength 55kg
Thread size M8 0.75 pitch



**888-0006
Locking board plate**

Wire size 1.5mm
Strength 55kg
Finish Chrome



**888-0010
Clamp stud**

Wire size 1.5mm
Strength 50kg
Thread size M10
Length 13cm



**888-0013
Chrome end fitting**

Thread size M8
To be used with items
702-1501
702-1502
702-1503



**888-0014
Clamp attachment cylinder**

Thread size M8 internal
M6 internal
Finish Chrome



**888-0015
Clamp attachment plate
round**

Thread size M8 internal
Finish White



**888-0016
Clamp attachment plate**

Thread size M8



 Ormiston Wire Limited

888-0017
Clamp attachment flat

Thread size M8



888-0018
Clamp attachment high plate

Thread size M8



888-0019
Clamp attachment bracket

Thread size M8



888-0021
Ceiling fitting stud

Thread size M8 internal
M6 external
Length 13cm



888-0029
Tensioning plate clamp

Wire size 1.5mm, 2.0mm
Strength 55kg
Finish Chrome



889-0004
Clamp hook

Wire size 1.2mm
Strength 40kg



Superclamps

889-0005 Insert Clamp

Wire size 1.2mm
Strength 40kg
Thread size M8 0.75 pitch



889-0009 Board clamp

Wire size 1.2mm
Strength 40kg
Thread size M8



889-0020 Plate clamp stud

Wire size 1.2mm
Strength 40kg
Thread size M8
Finish White
Length 13cm



888-0025 Barrel clamp long

Wire size 1.5mm, 2.0mm
Strength 60kg
Thread size M8
Finish Chrome



888-0026 Sign clamp

Wire size 1.5mm, 2.0mm
Strength 55kg
Finish Chrome



 Ormiston Wire Limited

888-0027
Small hook clamp

Wire size 1.5mm
Strength 55kg
Finish Chrome



888-0028
Plate clamp

Wire size 1.5mm, 2.0mm
Strength 55kg
Finish Chrome



888-0024
Barrel clamp

Wire size 1.5mm, 2.0mm
Strength 60kg
Thread size M8
Finish Chrome



SS1
Shelf support

Wire size 1.5mm
Strength 30kg
Jaw width 7mm
Jaw depth 11mm
Finish Aluminium

PS1
Panel support

Wire size 1.5mm
Strength 30kg
Jaw width 7mm
Jaw depth 11mm
Finish Aluminium



702-1501
Stainless steel wire rope with stop end

Wire size 1.5mm
Strength 155kg
Wire length 1m

702-1502
Stainless steel wire rope with stop end

Wire size 1.5mm
Strength 155kg
Wire length 2m

702-1503
Stainless steel wire rope with stop end

Wire size 1.5mm
Strength 155kg
Wire length 3m



Other lengths/sizes are made specially to order

Superclamps

878-1019 Insert clamp

Wire size 1.5mm
Strength 40kg
Thread size M10
Finish Chrome
Knurled edge



878-1018 Insert clamp

Wire size 1.5mm
Strength 40kg
Thread size M10
Finish Chrome




878-1000 Round cover 43x4.5mm

Hole 5mm
Finish Chrome
To go over ceiling clips
878-1002 and 878-1004



878-1001 Round cover 43x4.5mm

Hole 5mm
Finish White
To go over ceiling clips
878-1002 and 878-1004



 Ormiston Wire Limited

878-1002
Ceiling clips

Thread size M5
Finish White
Simply clips on to 25mm
wide false ceiling grids



878-1003
Ceiling clips

Thread size M6
Finish White
Simply clips on to 25mm
wide false ceiling grids



878-1004
Clip

Thread size M5
Hole size 5mm
Finish White



878-1005
Ceiling attachment

Wire size 1.5mm
Finish Chrome
For use with wire with
top end thread size M6



878-1007
Ceiling attachment

Thread size internal M5
Thread size external M12
Finish Chrome



878-1008
Cap with slit

Thread size M12
Wire 1.5mm
Finish Chrome
Fits on 878-1007.
For use with wire with stop end






Superclamps

878-1009 Cap with hole

Wire size 1.5mm
 Thread size M12
 Finish Chrome
 Fits on 878-1007.
 For use with wire with stop end



878-1010 Pipe

Thread size M5
 Wire size 1.5mm
 Length 28mm
 Diameter 9mm
 Finish Chrome
 Special stop required



878-1011 Clamp M8

Wire size 1.5mm
 Strength 40kg
 Length 44mm
 Finish Chrome
 Adjustable 90° side exit for wire



878-1012 Clamp thread M6

Wire size 1.5mm
 Strength 40kg
 Length 35mm
 Diameter 10mm with slot for hanging wire off fitting. Grubscrew secured.
 Finish Chrome
 Side exit for wire




878-1013 Clamp M5

Wire size 1.5mm
 Strength 40kg
 Length 28mm
 Diameter 9mm with slot for hanging wire off fitting. Grubscrew secured.
 Finish Chrome
 Side exit for wire



878-1014 Clamp M5

Wire size 1.5mm
 Strength 40kg
 Length 28mm
 Diameter 9mm with hole for hanging wire off fitting. Grubscrew secured.
 Finish Chrome
 Side exit for wire



 Ormiston Wire Limited

878-1015
Clamp long knurl

Wire size 1.5mm
Strength 40kg
Thread M4
Length 28mm
Diameter 9mm
Finish Chrome
Side exit for wire



878-1017
Clamps taper with hole

Wire size 1.5mm
Strength 40kg
Length 25mm
Diameter 9mm
Finish Chrome
Side exit for hanging wire
off fitting with grubscrew
secured.



878-1016
Clamp short knurl

Wire size 1.5mm
Strength 40kg
Thread M4
Length 28mm
Diameter 9mm
Finish Chrome



878-1020
Clamp M8 20% visible

Wire size 1mm
Strength 40kg
Finish Chrome



878-1021
Clamp M7

Wire size 1mm
Strength 40kg
Length 10mm
Diameter 7mm
Finish Chrome



Superclamps

878-1022
Stop end with screw

Wire size 1.5mm
Finish Chrome
5mm x 7mm



878-1023
Clamp M4

Wire size 1.5mm
Strength 40kg
Hole in base M4
Length 28mm
Diameter 9mm
Finish Chrome
Side exit for wire



878-1024
Clamp M5

Wire size 1.5mm
Strength 40kg
Hole in base M5
Length 28mm
Diameter 9mm
Finish Chrome
Side exit for wire



878-1025
Convertor M5 to M8

Finish Chrome



878-1026
Ceiling hanger with slit
M10

For use with insert thread
M10



878-1027
Ceiling clip

Thread size M6
Finish White
Simply clips on to 15mm wide
false ceiling grids




878-1028
Clamp


Wire size 1.5mm
Strength 40kg
Length 28mm
Diameter 9mm
Finish Chrome
Side exit for wire
Horizontal slot for hanging
wire off fitting with grubscrew
secured.



Shelf Unit




Picture Hanging




Superclamps

Track Lighting



Signs



Microcables

Fine stainless steel cables, both plain and nylon, covered in a variety of sizes and constructions.

For use as control cables in electronic, medical, scientific, optical and photographic equipment, drawing boards, in fact any use where a low stretch, strong, small diameter flexible cable is required.



BARE	Dia. mm	Construction	Part number	Strength Kg	Strength lbs	To suit ferrule size
	0.22	1 x 3	705-0045	4.5	10	1
	0.26	1 x 3	705-0068	6.8	15	1
	0.32	1 x 3	705-0091	9.0	20	1
	0.39	1 x 3	705-0136	13.6	30	1
	0.45	1 x 7	705-0227	22.6	50	1
	0.51	1 x 7	705-0340	34.0	75	2
	0.60	1 x 7	705-0454	45.3	100	2
	0.75	1 x 7	705-0680	68.0	150	2
	0.87	1 x 7	705-0907	90.6	200	3
	1.05	1 x 7	705-1134	113.4	250	4
Extra Flexible	1.00	7 x 7	708-0794	79.3	175	3
	1.20	7 x 7	708-1134	113.4	250	4
	1.30	7 x 7	708-1361	136.0	300	5

NYLON COVERED	Dia. mm	Construction	Part number	Strength Kg	Strength lbs	To suit ferrule size
	0.36	1 x 3	704-0045	4.5	10	1
	0.50	1 x 3	704-0068	6.8	15	1
	0.58	1 x 3	704-0091	9.0	20	1
	0.60	1 x 3	704-0136	13.6	30	1
	0.70	1 x 7	704-0227	22.6	50	2
	0.75	1 x 7	704-0340	34.0	75	2
	0.85	1 x 7	704-0454	45.3	100	3
	0.95	1 x 7	704-0680	68.0	150	3
	1.05	1 x 7	704-0907	90.6	200	4
	1.15	1 x 7	704-1134	113.4	250	4
Extra Flexible	1.20	7 x 7	706-0794	79.3	175	4
	1.30	7 x 7	706-1134	113.4	250	5
	1.60	7 x 7	706-1361	136.0	300	6


BRASS FERRULES	Lengths	O.D.	I.D.		Lengths	O.D.	I.D.		
1	903-0001	7mm	1.72	1.22	4	903-0004	14mm	3.46	2.46
2	903-0002	10mm	2.40	1.70	5	903-0005	16mm	4.47	3.17
3	903-0003	12mm	3.01	2.11	6	903-0006	18mm	4.85	3.45

Stainless steel ropes and micro cable fittings

We hold large stocks of stainless steel wire ropes, micro cables and fittings. If you need made up assemblies for suspension, lighting, signs, etc., please contact us.

We sell the wire and fittings separately for self-assembly if necessary.

- Wire Rope
- Plastic coated wire
- Micro cables
- Copper & aluminium ferrules
- Brass micro cable ferrules
- Stainless shackles
- Stainless thimbles
- Rigging screws
- Superclamp hanging system
- Wire rope grips and clamps



Superclamps

Micro cable hanging system



Ormiston Wire Limited

Ormiston Wire Ltd, 1 Fleming Way, Worton Road, Isleworth, Middlesex, TW7 6EU
Tel 020 8569 7287 Fax 020 8569 8601
E-mail info@ormiston-wire.co.uk Web www.ormiston-wire.co.uk

